


```
ring nodes:
    1 2 3 4 5 6
chain bonds:
    3-7 7-9 7-10 11-12 11-13
ring bonds:
    1-2 1-6 2-3 3-4 4-5 5-6
exact/norm bonds:
    7-9 7-10 11-12 11-13
exact bonds:
    3-7
normalized bonds:
    1-2 1-6 2-3 3-4 4-5 5-6
isolated ring systems:
    containing 1:
```

G1:0,S

Match level: 1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:CLASS 9:CLASS 10:CLASS 11:CLASS 12:CLASS 13:CLASS 15:CLASS



```
Chain nodes :
    7     9     10     11     12     13     27

ring nodes :
    1     2     3     4     5     6     17     18     19     20     21     22     23     24     25     26

chain bonds :
    3-7     7-9     7-10     11-12     11-13     27-27     27-27

ring bonds :
    1-2     1-6     2-3     3-4     4-5     5-6     17-18     17-22     18-19     19-20     20-21     21-22     21-23     22-26
    23-24     24-25     25-26

exact/norm bonds :
    7-9     7-10     11-12     11-13

exact bonds :
    3-7     27-27     27-27

normalized bonds :
    1-2     1-6     2-3     3-4     4-5     5-6     17-18     17-22     18-19     19-20     20-21     21-22     21-23     22-26
    23-24     24-25     25-26

isolated ring systems :
    containing 1 :
```

```
Match level:
   1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:CLASS 9:CLASS 10:CLASS 11:CLASS 12:CLASS 13:CLASS 15:CLASS 17:Atom 18:Atom 19:Atom 20:Atom 21:Atom 22:Atom 23:Atom 24:Atom 25:Atom 26:Atom 27:CLASS fragments assigned reactant role:
   containing 17
fragments assigned product role:
   containing 1
```

```
C:\stnweb\Queries\5.str
chain nodes :
```

```
3-7 7-9 7-10 11-12 11-13, 27-27 27-27
ring bonds :
     1-2 1-6 2-3 3-4 4-5 5-6 17-18 17-22 18-19 19-20 20-21 21-22 21-23 22-26 23-24 24-25 25-26
exact/norm bonds :
     7-9 7-10 11-12 11-13
exact bonds :
     3-7 27-27 27-27
normalized bonds :
     1-2 1-6 2-3 3-4 4-5 5-6 17-18 17-22 18-19 19-20 20-21 21-22 21-23 22-26 23-24 24-25 25-26
isolated ring systems :
     containing 1:
G1:0,S
Match level:
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:CLASS 9:CLASS 10:CLASS 11:CLASS 12:CLASS 13:CLASS 15:CLASS 17:Atom 18:Atom 19:Atom 20:Atom 21:Atom 22:Atom 23:Atom 24:Atom 25:Atom 26:Atom 27:CLASS 30:CLASS
                                                                                     10:CLASS 11:CLASS
fragments assigned reactant role:
    containing 17
fragments assigned product role:
     containing 1
fragments assigned reactant/reagent role:
     containing 30
```

19 20 21 22 23 24 25 26

7 9 10 11 12 13 27

18

1 2 3 4 5 6 17

ring nodes :

chain bonds :

	Web Page URLs for STN Seminar Schedule - N. America
	"Ask CAS" for self-help around the clock
May 12	EXTEND option available in structure searching
May 12	Polymer links for the POLYLINK command completed in REGISTRY
May 27	New UPM (Update Code Maximum) field for more efficient patent
	SDIs in CAplus
May 27	CAplus super roles and document types searchable in REGISTRY
Jun 22	STN Patent Forums to be held July 19-22, 2004
Jun 28	Additional enzyme-catalyzed reactions added to CASREACT
Jun 28	ANTE, AQUALINE, BIOENG, CIVILENG, ENVIROENG, MECHENG,
	and WATER from CSA now available on STN(R)
Jul 12	BEILSTEIN enhanced with new display and select options,
	resulting in a closer connection to BABS
	May 27 May 27 Jun 22 Jun 28 Jun 28

NEWS EXPRESS	MARCH 31 CURRENT WINDOWS VERSION IS V7.00A, CURRENT
	MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
	AND CURRENT DISCOVER FILE IS DATED 26 APRIL 2004
NEWS HOURS	STN Operating Hours Plus Help Desk Availability
NEWS INTER	General Internet Information
NEWS LOGIN	Welcome Banner and News Items
NEWS PHONE	Direct Dial and Telecommunication Network Access to STN
NEWS WWW	CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 04:07:05 ON 22 JUL 2004

=> file reg

COST IN U.S. DOLLARS

SINCE FILE TOTAL

ENTRY SESSION

FULL ESTIMATED COST

0.21
0.21

FILE 'REGISTRY' ENTERED AT 04:07:38 ON 22 JUL 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 20 JUL 2004 HIGHEST RN 713489-00-0 DICTIONARY FILE UPDATES: 20 JUL 2004 HIGHEST RN 713489-00-0

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 6, 2004

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at: http://www.cas.org/ONLINE/DBSS/registryss.html

=> L1

STRUCTURE UPLOADED

=> d l1


L1 HAS NO ANSWERS

L1

STR

0 13 S 14

Page 1-A



Page 1-B





Page 2-B VAR G1=13/14 VPA 10-4/5 S NODE ATTRIBUTES:

HCOUNT	IS	M1		ΑT	9
HCOUNT	IS	M1		ΑT	11
NSPEC	IS	R		AΤ	1
NSPEC	IS	R		ΑT	2
NSPEC	IS	R		ΑT	3
NSPEC	IS	R		AΤ	4
NSPEC	IS	R		TA	5
NSPEC	IS	R		TA	6
NSPEC	IS	С		ΤA	7
NSPEC	IS	С		ΑT	8
NSPEC	IS	С		AΤ	9
NSPEC	IS	С		AΤ	10
NSPEC	IS	C	•	AΤ	11
NSPEC	IS	C		AΤ	12
DEFAULT	MLI	EVEL	IS	ATO	M

MLEVEL IS CLASS AT 7 9 10 11 13 14 DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RSPEC I

NUMBER OF NODES IS 14

STEREO ATTRIBUTES: NONE

=> s 11

SAMPLE SEARCH INITIATED 04:09:41 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 2471 TO ITERATE

40.5% PROCESSED 1000 ITERATIONS INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS:

46439 TO 52401

PROJECTED ANSWERS: 9 TO 38

L2 4 SEA SSS SAM L1

=> s 11 full

THE ESTIMATED SEARCH COST FOR FILE 'REGISTRY' IS 155.00 U.S. DOLLARS DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N or END: Y FULL SEARCH INITIATED 04:09:46 FILE 'REGISTRY' FULL SCREEN SEARCH COMPLETED - 48368 TO ITERATE

100.0% PROCESSED 48368 ITERATIONS

289 ANSWERS

4 ANSWERS

SEARCH TIME: 00.00.01

L3 289 SEA SSS FUL L1

=> file hcaplus

COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION

156.68 156.89

FULL ESTIMATED COST

FILE 'HCAPLUS' ENTERED AT 04:09:51 ON 22 JUL 2004 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 22 Jul 2004 VOL 141 ISS 4 FILE LAST UPDATED: 21 Jul 2004 (20040721/ED) This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s 13/thu

2190 L3

607517 THU/RL

L4 34 L3/THU

(L3 (L) THU/RL)

=> file reg

COST IN U.S. DOLLARS

SINCE FILE TOTAL

ENTRY SI

SESSION

FULL ESTIMATED COST

2.48 159.37

FILE 'REGISTRY' ENTERED AT 04:09:57 ON 22 JUL 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 20 JUL 2004 HIGHEST RN 713489-00-0 DICTIONARY FILE UPDATES: 20 JUL 2004 HIGHEST RN 713489-00-0

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 6, 2004

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more information enter <u>HELP PROP</u> at an arrow prompt in the file or refer to the file summary sheet on the web at: http://www.cas.org/ONLINE/DBSS/registryss.html

=>	63	quinoline/cn
E 1		1

E1 Î	1	QUINOLINAZO F/CN
E2	1	QUINOLINAZO R/CN
E3	1>	QUINOLINE/CN
E4	1	QUINOLINE 2-OXIDOREDUCTASE/CN
E5	1	QUINOLINE 2-OXIDOREDUCTASE (PSEUDOMONAS PUTIDA CLONE 13/42 G
•		ENE QORL SUBUNIT REDUCED)/CN
E6	1	QUINOLINE 2-OXIDOREDUCTASE (PSEUDOMONAS PUTIDA CLONE 13/42 G
		ENE QORM SUBUNIT REDUCED)/CN
E7	1	QUINOLINE 2-OXIDOREDUCTASE (PSEUDOMONAS PUTIDA CLONE 13/42 G
		ENE QORS SUBUNIT REDUCED)/CN
E8	1	QUINOLINE 2-OXIDOREDUCTASE (SULFOLOBUS TOKODAII STRAIN 7 GEN
		E ST1013)/CN
E9	1	QUINOLINE 2-OXIDOREDUCTASE (SULFOLOBUS TOKODAII STRAIN 7 GEN
		E ST1571)/CN
E10	1	QUINOLINE 2-OXIDOREDUCTASE (TREPONEMA PALLIDUM GENE TP0080)/
		CN
E11	1	QUINOLINE 4,7-BISTHIOCARBONAMIDE/CN
E12	1	QUINOLINE 6-CHLORO-4-METHYL-, 1-OXIDE/CN

=> s e3

L5 1 QUINOLINE/CN

=> file hcaplus COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 6.11 165.48

FULL ESTIMATED COST

FILE 'HCAPLUS' ENTERED AT 04:12:10 ON 22 JUL 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 22 Jul 2004 VOL 141 ISS 4 FILE LAST UPDATED: 21 Jul 2004 (20040721/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s 15/rct

10806 L5

2641509 RCT/RL

L6 1747 L5/RCT .

(L5 (L) RCT/RL)

=> d his

(FILE 'HOME' ENTERED AT 04:07:05 ON 22 JUL 2004)

FILE 'REGISTRY' ENTERED AT 04:07:38 ON 22 JUL 2004

L1 STRUCTURE UPLOADED

L2 4 S L1

L3 289 S L1 FULL

FILE 'HCAPLUS' ENTERED AT 04:09:51 ON 22 JUL 2004

L4 34 S L3/THU

FILE 'REGISTRY' ENTERED AT 04:09:57 ON 22 JUL 2004

E QUINOLINE/CN

L5 1 S E3

FILE 'HCAPLUS' ENTERED AT 04:12:10 ON 22 JUL 2004

L6 1747 S L5/RCT

=> s 15 and 14

L7 0 L6 AND L4

=> file reg

COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION

FULL ESTIMATED COST

2.48 167.96

FILE 'REGISTRY' ENTERED AT 04:12:34 ON 22 JUL 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 20 JUL 2004 HIGHEST RN 713489-00-0 DICTIONARY FILE UPDATES: 20 JUL 2004 HIGHEST RN 713489-00-0

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 6, 2004

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP_CROSSOVER for details.

Experimental and calculated property data are now available. For more information enter <u>HELP PROP</u> at an arrow prompt in the file or refer to the file summary sheet on the web at: http://www.cas.org/ONLINE/DBSS/registryss.html

=> e 8-hydroxyquinoline/cn

E1	1	8-HYDROXYQUINOLIN-5-SULFONYL CHLORIDE/CN
E2	1	8-HYDROXYQUINOLINATE/CN
E3	1>	8-HYDROXYQUINOLINE/CN
E4	1	8-HYDROXYQUINOLINE .ALPHARESORCYLATE/CN
E5	1	8-HYDROXYQUINOLINE .BETAD-GLUCOSIDE/CN
E6	1	8-HYDROXYQUINOLINE 1-OXIDE/CN
E7	1	8-HYDROXYQUINOLINE ALUMINUM/CN
E8	1	8-HYDROXYQUINOLINE ALUMINUM SULFATE/CN
E9	1	8-HYDROXYQUINOLINE BENZOATE/CN
E10	1 .	8-HYDROXYQUINOLINE BENZOATE (SALT)/CN
E11	1	8-HYDROXYQUINOLINE BITARTRATE/CN
E12	1	8-HYDROXYQUINOLINE CALCIUM SALT/CN

=> ន ម3

L8 1 8-HYDROXYOUINOLINE/CN

=> file hcaplus

COST IN U.S. DOLLARS
SINCE FILE TOTAL
ENTRY SESSION
FULL ESTIMATED COST
4.85
172.81

FILE 'HCAPLUS' ENTERED AT 04:12:54 ON 22 JUL 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing

of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 22 Jul 2004 VOL 141 ISS 4 FILE LAST UPDATED: 21 Jul 2004 (20040721/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s 18/rct

7784 L8

2641509 RCT/RL

L9 1504 L8/RCT

(L8 (L) RCT/RL)

=> d his

L6

(FILE 'HOME' ENTERED AT 04:07:05 ON 22 JUL 2004)

FILE 'REGISTRY' ENTERED AT 04:07:38 ON 22 JUL 2004

L1 STRUCTURE UPLOADED

L2 . 4 S L1

L3 289 S L1 FULL

FILE 'HCAPLUS' ENTERED AT 04:09:51 ON 22 JUL 2004

L4 34 S L3/THU

FILE 'REGISTRY' ENTERED AT 04:09:57 ON 22 JUL 2004

E QUINOLINE/CN

L5 1 S E3

FILE 'HCAPLUS' ENTERED AT 04:12:10 ON 22 JUL 2004

1747 S L5/RCT

L7 0 S L6 AND L4

FILE 'REGISTRY' ENTERED AT 04:12:34 ON 22 JUL 2004

E 8-HYDROXYOUINOLINE/CN

L8 1 S E3

FILE 'HCAPLUS' ENTERED AT 04:12:54 ON 22 JUL 2004

L9 1504 S L8/RCT

=> s 19 and 14

L10 0 L9 AND L4

=> file casreact

COST IN U.S. DOLLARS

FULL ESTIMATED COST

SINCE FILE TOTAL

ENTRY SESSION

2.48 175.29

FILE 'CASREACT' ENTERED AT 04:13:22 ON 22 JUL 2004 USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications.

FILE CONTENT: 1840 - 18 Jul 2004 VOL 141 ISS 3

*

* CASREACT now has more than 8 million reactions * *

Some CASREACT records are derived from the ZIC/VINITI database (1974-1991) provided by InfoChem, INPI data prior to 1986, and Biotransformations database compiled under the direction of Professor Dr. Klaus Kieslich.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=>

L11 STRUCTURE UPLOADED

=> d 111

L11 HAS NO ANSWERS

L11 STF

=> s 111

SAMPLE SEARCH INITIATED 04:17:59 FILE 'CASREACT'

SCREENING COMPLETE - 178 REACTIONS TO VERIFY FROM 21 DOCUMENTS

100.0% DONE 178 VERIFIED 0 HIT RXNS 0 DOCS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED VERIFICATIONS: 2760 TO 4360

PROJECTED ANSWERS: 0 TO 0

L12 0 SEA SSS SAM L11 (0 REACTIONS)

=> s 111 full

THE ESTIMATED SEARCH COST FOR FILE 'CASREACT' IS 102.30 U.S. DOLLARS DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N or END:y
FULL SEARCH INITIATED 04:18:05 FILE 'CASREACT'
SCREENING COMPLETE - 5279 REACTIONS TO VERIFY FROM 650 DOCUMENTS

100.0% DONE 5279 VERIFIED 21 HIT RXNS 8 DOCS

SEARCH TIME: 00.00.01

L13 8 SEA SSS FUL L11 (21 REACTIONS)

=>

L14 STRUCTURE UPLOADED

=> d 114

L14 HAS NO ANSWERS

L14 STR

=> s 114

SAMPLE SEARCH INITIATED 04:20:11 FILE 'CASREACT'

SCREENING COMPLETE - 0 REACTIONS TO VERIFY FROM 0 DOCUMENTS

100.0% DONE 0 VERIFIED 0 HIT RXNS 0 DOCS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**

PROJECTED VERIFICATIONS: 0 TO 0

PROJECTED ANSWERS: 0 TO 0

L15 0 SEA SSS SAM L14 (0 REACTIONS)

=> s 114 full

Full

THE ESTIMATED SEARCH COST FOR FILE 'CASREACT' IS 102.30 U.S. DOLLARS DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N or END:y

FULL SEARCH INITIATED 04:20:16 FILE 'CASREACT'

SCREENING COMPLETE - 74 REACTIONS TO VERIFY FROM 10 DOCUMENTS

100.0% DONE 74 VERIFIED 0 HIT RXNS 0 DOCS

SEARCH TIME: 00.00.01

L16 0 SEA SSS FUL L14 (0 REACTIONS)

=> d 113, ibib abs ord, 1-8

83448

L13 ANSWER 1 OF 8 CASREACT COPYRIGHT 2004 ACS on STN

Text Register 128:75309 CASREACT

TITLE: Preparation of (5,6-dicarboxy-3-pyridyl)methylammonium

halides.

INVENTOR(S): Wu, Wen Xue

PATENT ASSIGNEE(S): American Cyanamid Company, USA

SOURCE: Eur. Pat. Appl., 14 pp.

CODEN: EPXXDW

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

	TENT NO.					APPLICATION NO.	DATE			
ΕP			A1	19971217		EP 1997-303663	19970529			
	R: AT,	BE,	CH, DE	, DK, ES,	FR,	GB, GR, IT, LI, LU,	NL, SE,	PT,	ΙE,	FI
TW	426671		В	20010321		TW 1997-86107147	19970527			
ΑT	214370		E	20020315		AT 1997-303663	19970529			
PT	812828		T	20020930		AT 1997-303663 PT 1997-303663	19970529			
ES	2174185		TЗ	20021101		ES 1997-303663	19970529			
CZ	288272		В6	20010516		CZ 1997-1706	19970603			
CA	2207379		AA	19971210		CA 1997-2207379	19970606			
AU	9724758		A1	19971218		AU 1997-24758	19970606			
ΑU	709900		B2	19990909						
JP	10059941		A2	19980303		JP 1997-164984	19970606			
IL	121032		A1	20010128		IL 1997-121032	19970608			
BR	9703506		A	19981006		BR 1997-3506	19970609			
ZA						ZA 1997-5075	19970609			
IN	183352		A	19991127		IN 1997-CA1085	19970609			
RU	2142943		C1	19991220		RU 1997-109816	19970609			
HU	218875		В	20001228		ни 1997-1022	19970609			
CN	1172802		A	19980211		CN 1997-113612	19970610			
CN	1100758			20030205						
US	6002012		A	19991214		US 1998-45203	19980320			

PRIORITY APPLN. INFO.:

US 1996-661206 19960610

OTHER SOURCE(S):

MARPAT 128:75309

GI

AB Title compds. [I; R-R2 = alkyl; RR1 = (O-, S-, or NR3-interrupted) 5-6 membered ring; R3 = alkyl; X = Br, Cl, iodo; Z = H, halo; Z1 = H, halo, cyano, NO2], were prepd. by oxidn. of quinolylmethylammonium halides (II; R4-R7 = H, OH, NO2, acyloxy, amino, NO2, alkoxy, SO3H, SH, SO2Cl; 1 of R4-R7 ≠ H, halo; other variables as above) with H2O2 in aq. base. Thus, (8-acetoxy-3-quinolylmethyl)trimethylammonium bromide in aq. NaOH at 85-90° was treated with H2O2 to give 80% (5,6-dicarboxy-3-pyridylmethyl)trimethylammonium bromide.

RX(1) OF 1

Br-

Br = 80%

NOTE: 85-90.degree.

L13 ANSWER 2 OF 8 CASREACT COPYRIGHT 2004 ACS on STN

Full Cland Text references

ACCESSION NUMBER: 123:111860 CASREACT

TITLE: Improved method for the preparation of

pyridine-2,3-dicarboxylic acids.

INVENTOR(S): Miller, Paul Edward

PATENT ASSIGNEE(S): American Cyanamid Co., USA

SOURCE: Eur. Pat. Appl., 8 pp.

CODEN: EPXXDW

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1


PATENT INFORMATION:

PATENT NO. KIND DATE APPLICATION NO.

DATE

EP	66126	8		A	1 :	1995	0705		ΕP	199	4-11	L774	9	1994	1110		
EP	66126	8		B	1 :	1998	30422										
	R:	ΑT,	BE,	CH,	DE,	DK,	ES,	FR,	GB, G	GR,	ΙE,	IT,	LI,	LU,	NL,	PT,	SE
AT	16534	7		E	:	1998	30515		ΑT	199	4-11	L774	9	1994	1110	•	
ES	21158	46		T	3	1998	30701		ES	199	4-11	L774	9	1994	1110		
TW	41694	7		В	:	2001	0101		$\mathbf{T}\mathbf{W}$	199	4-83	3111	746	1994	1215		
JP	07242	631		A.	2	1995	0919		JP	199	4-33	3549	3	1994	1222		
BR	94052	62		A		1995	51107		BR	199	4-52	262		1994	1227		
IL	11215	7		A	1 :	2000	1206		ΙL	199	4-11	L215	7	1994	1227		
US	56146	35		A		1997	70325		US	199	5-53	L584	3	1995	0816		
PRIORITY	Y APPI	N. I	NFO.	:					<u>US</u>	199	3-17	7465	8	1993	1228		
OTHER SO	OURCE (s):	•		MAR	PAT	123:	11186	0	• .							
GI													•				

AΒ An improved method is described for the prepn. of pyridine-2,3dicarboxylic acids I [X = H, Me; Y = H, halo, (un)substituted alkyl,amino, Ph, etc.; Z = H, NO2, OH, CHO, CO2H, (un)substituted alkyl, amino, Ph, etc.; or YZ optionally = (CH2)3-4 when X = H, or (un) substituted CH:CHCH:CH] by continuous oxidn. of substituted quinolines II [R2-R5 = H, OH, alkoxy, SO3H, SO2Cl, SH, halo, NO2, NH2; one group \neq H] or their oxides or salts. I are useful as herbicide intermediates. involves addn. of aq. H2O2, aq. base, and II (optionally in aq. mineral acid or base soln.) to a 1st reaction vessel, which is allowed to foam over into a 2nd vessel. This gives an aq. soln. of a I salt in the 2nd vessel, which is then acidified to give I. The 2-vessel method offers improved safety and handling of the reaction, which produces heavy foaming, high heat release, and frequent "hang-fire" conditions. In an example, a stirred aq. soln. resulting from a previous run (contg. 10.7 wt.% of the product di-Na salt) was heated to 100° and fed sep. streams of 35% H2O2, 50% aq. NaOH, and molten 95% 3-ethyl-8hydroxyquinoline. After foaming into a 2nd vessel which was kept at 90-100°, anal. of the entire system showed 89% total yield of 5-ethylpyridine-2,3-dicarboxylic acid, which was isolated from the foamed-over di-Na salt soln. by acidification with H2SO4.



NOTE: 100.degree., product di-Na salt present; highly exothermic, heavy foaming, hang fire conditions; improved safety by allowing foaming into 2nd vessel

L13 ANSWER 3 OF 8 CASREACT COPYRIGHT 2004 ACS on STN

h



ACCESSION NUMBER:

121:35349 CASREACT

TITLE:

Method for the preparation of 2,3-pyridinedicarboxylic

acids and derivatives

INVENTOR(S):

Cortese, Nicholas Angelo; Strong, Henry Lee

PATENT ASSIGNEE(S):

American Cyanamid Co., USA

SOURCE:

Eur. Pat. Appl., 9 pp.

CODEN: EPXXDW

DOCUMENT TYPE:

Patent

LANGUAGE:

English


FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE		
EP 594993	A1	19940504	EP 1993-114564	19930910		
EP 594993	B1	19970528				
R: AT, BE,	CH, DE	, DK, ES, FR,	GB, GR, IE, IT, LI	, LU, NL, PT, SE		
US 5371229	A	19941206	US 1992-967350	19921028		
AT 153659	E	19970615	AT 1993-114564	19930910		
ES 2101913	Т3	19970716	ES 1993-114564	19930910		
IL 107406	A1	19980104	IL 1993-107406	19931026		
BR 9304382	A	19940607	BR 1993-4382	19931027		
JP 06211794	A2	19940802	JP 1993-289868	19931027		
JP 3315220	B2	20020819				
PRIORITY APPLN. INFO	.:		US 1992-967350	19921028		
OTHER SOURCE(S):	MA	RPAT 121:3534	9			
GI						

CO 2H I

AΒ Title compds. I (X = H, Me, with the proviso that when YZ forms a ring, X= H; Y, Z = H, (substituted) C1-6 alkyl, (substituted) amino, O2N, (substituted) Ph, etc., YZ = ring, (CH2)n, etc., wherein n = 3,4), useful as intermediates in prodn. of 2-(2-imidazolin-2-yl)nicotinate herbicides, are prepd. by an improved process in significantly enhanced yield, by HNO3 oxidn. of the appropriately substituted quinoline in presence of a catalytic amt. of Mn. 3-Ethyl-8-hydroxyquinoline in CH2Cl2 was added to 70% HNO3 contg. MnO2 to give I (X = Z = H, Y = Et) in 98.52 % yield.



L13 ANSWER 4 OF 8 CASREACT COPYRIGHT 2004 ACS on STN

EUII Text

ACCESSION NUMBER:

120:217305 CASREACT

TITLE:

Preparation of substituted-2,3-dicarboxypyridinium

nitrates

INVENTOR (S):

Strong, Henry L.

PATENT ASSIGNEE(S):

American Cyanamid Co., USA

SOURCE:

U.S., 4 pp. CODEN: USXXAM

DOCUMENT TYPE:

Patent

LANGUAGE:

English

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

	PA	CENT	NO.		KIND	DATE	3		API	PLICA	TIO	N NC).	DATE			
	US	5284	955		Α	1994	10208		US	1992	-96	7349	9	1992	1028		
	ΕP	6012	88		A2	1994	10615		EΡ	1993	-11	4565	5	1993	0910		
	ΕP	6012	88		A3	1994	10622										
	ΕP	6012	88		В1	2003	30502										
		R:	AT,	BE,	CH, D	E, DK,	ES,	FR,	GB, C	₽R, I	E, :	IT,	LI,	LU,	NL,	PT,	SE
	AT	2389	•		É		0515		•	1993	•	•	•	1993	•		
	ΙL	1074	.05		A1	1998	30104		IL	1993	-10	7405	5	1993	1026		
	BR	9304	381		A	1994	10607		BR	1993	-43	81		1993	1027		
	JΡ	0623	4743		A2	1994	10823		JP	1993	-28	9866	5	1993	1027		
	JР	3315	219		B2	2002	0819										
	US	5410	062		А	1995	0425		US	1994	-19	0825	5	1994	0202		
PRIO	RIT	APP	LN.	INFO.	. :				US	1992	-96	7349	9	1992	1028		
		DURCE				ARPAT	120:2	21730	5				-			•	
CT		J 01(OL	· (~) ·		•				•								

GI

AΒ Title compds. I (Y, Z = H, (substituted) C1-6 alkyl, (substituted) Ph, oneof Y , Z \neq H) useful in isolation and purifn. of 2,3-pyridinedicarboxylic acid herbicide intermediates, are prepd. with an improved yield and purity. HNO3 and MnO2 are heated to 95° and treated with 3-ethyl-8-hydroxyquinoline in nitrobenzene over 2 h, held at $90-100^{\circ}$ for 10 h and cooled to romm temp. to give I (Y = Et, Z = H). This in CH2Cl2 and MIBK, were refluxed for 1 h and cooled to room temp. to give 5-ethyl-2,3-pyridinedicarboxylic acid.

L13 ANSWER 5 OF 8 CASREACT COPYRIGHT 2004 ACS on STN



ACCESSION NUMBER: 115:158979 CASREACT

TITLE: Preparation of pyridinecarboxylic acids

INVENTOR(S):
Hara, Takao

PATENT ASSIGNEE(S): Yamamoto Kasei K. K., Japan SOURCE: Jpn. Kokai Tokkyo Koho, 6 pp.

CODEN: JKXXAF

DOCUMENT TYPE: Patent LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1


PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 03101661	A2	19910426	JP 1989-238188	19890913
JP 2516435	B2	19960724		
ORITY APPLN. INFO.	:		JP 1989-238188	19890913

OTHER SOURCE(S): MARPAT 115:158979

GI

AB Title compds. I (R, R1 = H, alkyl; RR1 = CH:CHCH:CH) and II were prepd. by oxidn. of quinolines III or isoquinoline IV with ruthenium tetroxide in MeCN. Thus, stirring quinoline with RuCl3, NaClO, and aq. NaOH in MeCN at 30° for 50 min gave 73.3% quinolinic acid.



L13 ANSWER 6 OF 8 CASREACT COPYRIGHT 2004 ACS on STN

: Full Jaro Text References

ACCESSION NUMBER: 112:198071 CASREACT

TITLE: Ozonolysis of quinolines: a versatile synthesis of

polyfunctional pyridines

AUTHOR(S): O'Murchu, C.

CORPORATE SOURCE: Forschungsabt. Org. Chem., Lonza A.-G., Visp, CH-3930,

Switz.

SOURCE: Synthesis (1989), (11), 880-82

CODEN: SYNTBF; ISSN: 0039-7881

DOCUMENT TYPE: Journal LANGUAGE: English

GΙ

AB A simple, safe and efficient procedure, easily adapted to a large scale, is described for the synthesis of substituted quinolones which are readily oxidized by ozone in the presence of mineral acid, followed by an oxidative work up with hydrogen peroxide to afford substituted 2,3-pyridinedicarboxylic acids I (R = R1 = OH, R2 = H, 4-, 5-, 6-Me, 5-Et) and acyl pyridines I (R = Me, R1 = Me, OH, R2 = H).

RX(17) 0F 30

RX(18) OF 30

RX(21) OF 30

(step 1)

RX(22) OF 30

L13 ANSWER 7 OF 8 CASREACT COPYRIGHT 2004 ACS on STN

Full Class Accession NUMBER:

109:54676 CASREACT

TITLE:

Preparation of pyridine-2,3-dicarboxylates as

intermediates for herbicides

Rieker, William Frederick; Daniels, William Alan

INVENTOR(S):

PATENT ASSIGNEE(S):

American Cyanamid Co., USA

SOURCE:

Eur. Pat. Appl., 9 pp.

CODEN: EPXXDW

DOCUMENT TYPE:

Patent English

LANGUAGE:

_ 1

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APE	LICATION NO.	DATE
EP 259687	A2	19880316	EP	1987-112278	19870825
EP 259687	A3	19890531			
EP 259687	В1	19910703			
R: AT, BE, C	H, DE,	ES, FR, GB,	GR, I	T, LI, LU, NL,	SE
US 4816588	A	19890328	US	1987-85916	19870819
AT 64923	E	19910715	AΤ	1987-112278	19870825
ES 2028834	Т3	19920716	ES	1987-112278	19870825
IN 168450	A	19910406	IN	1987-CA697	19870902
IL 83795	A1	19920621	ΙL	1987-83795	19870906
cs 270573	В2	19900712	CS	1987-6529	19870909
HU 48211	A2	19890529	HU	1987-4031	19870910
HU 203535	В	19910828			
CA 1297112	A1	19920310	CA	1987-546560	19870910
DK 8704753	A	19880313	DK	1987-4753	19870911
DK 169518	В1	19941121			
AU 8778282	A1	19880317	AU	1987-78282	19870911
AU 599698	В2	19900726			
ZA 8706838	A	19880427	ZA	1987-6838	19870911
BR 8704717	A	19880503	BR	1987-4717	19870911
JP 63119466	A2	19880524	JP	1987-226733	19870911
JP 07116153	В4	19951213			
DD 262227	A5	19881123	DD	1987-306903	19870911
SU 1690543	А3	19911107	SU	1987-4203342	19870911
PRIORITY APPLN. INFO.:			US	1986-906713	19860912
•			EP	1987-112278	19870825
OMILED GOLLDON (C)		DDM 100 54676			

OTHER SOURCE(S):

MARPAT 109:54676

GI

The title compds. I [R1 - R3 = H, (hydroxy)alkyl, alkoxy, phenoxy, haloalkyl, NO2, OH, etc.; R2R3 = atoms to form a ring which may be optionally substituted, in which YZ (sic) are represented by (CH2)2Q, (CH)2Q, wherein Q = O, S, N, with the proviso that R1 = H], useful as intermediates for herbicides, were prepd. from quinoline II (R1 - R3 = as given above; X1 - X4 = OH, H, SO3H, SO2Cl, etc.; 1 of X1 - X4 is other than H). To a stirred mixt. of KOH and 3-ethyl-8-hydroxyquinoline (prepn. given) at 90° was added 30% H2O2 over 3.25 h. The mixt. was then heated at 90° for a further 1-2 h to give 5-ethylpyridine-2,3-dicarboxylic acid.

RX(2) 0F 5

L13 ANSWER 8 OF 8 CASREACT COPYRIGHT 2004 ACS on STN

Full Civing Text References

ACCESSION NUMBER:

108:150326 CASREACT

TITLE:

Process for the preparation of 5-alkylquinolinic

acids.

INVENTOR(S):

Pastorek, Emmerich; Orth, Winfried; Jeromin, Guenter;

Fickert, Werner

PATENT ASSIGNEE(S):

Ruetgerswerke A.-G., Fed. Rep. Ger.

SOURCE:

Ger. Offen., 5 pp.

CODEN: GWXXBX

DOCUMENT TYPE:

Patent

LANGUAGE:


German

FAMILY ACC. NUM. COUNT:

: 1

PATENT INFORMATION:

PATENT NO.			KI	1D	DATE			APPLICATION NO.			DATE		
DE	3614	- 756		A1	. — Ļ	1987	1105		DE	1986-361	4756	19860430	
EP	2472	77		A	2 .	1987	1202		ĒΡ	1987-101	485	19870204	
EP	2472	77		A3	3	1988	0210						
EP	EP 247277			B1	L	19910911							
	,R:	BE,	CH,	DE,	FR,	GB,	IT,	LI,	NL				
JР	6227	7360		A	2	1987	1202		JP	1987-103	442	19870428	
JP	0602	5114		B	1	1994	0406						
PRIORIT	Y APP	LN.	INFO.	.:					DE	1986-361	<u>4756</u>	19860430	
GI													



AB A procedure for prepg. 5-alkylquinolinic acids (I) was characterized in that 3-alkylquinolines II [X = Cl-6 alkyl; Y = H, optional group; Z = OR, NRR1, halo, NHNRR1, CO2H, NHCOR; R,R1 = H, (un)substituted Cl-8 alkyl, aralkyl, cycloalkyl] are oxidized in acidic, aq. medium with ClO3- in the presence of vanadyl (V) cations as catalyst. I are intermediates for plant protective agents. A mixt. of HCl, AcOH, 2-H2NC6H4OMe, and 2-O2NC6H4OMe was heated to reflux and treated with 2-ethylacrolein to give 78.2% 3-ethyl-8-methoxyquinoline which, in aq. HCl, was treated with ammonium vanadate, then aq. NaClO3. The NaClO3 was decompd. with NaHSO3 and the reaction mixt. worked up and treated with CuSO4 to ppt. the Cu salt of 5-ethylquinolinic acid (III). Reaction of III with aq. NaOH gave the free acid IV. Treating 3-ethyl-8-methoxyquinoline with fuming HNO3 gave no IV, but rather 3-ethyl-8-methoxynitroquinoline.

TOTAL

SESSION

429.77

RX(1) OF 2

=> log y
COST IN U.S. DOLLARS
SINCE FILE
ENTRY
FULL ESTIMATED COST
254.48

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE
ENTRY
SESSION
CA SUBSCRIBER PRICE

-5.28
-5.28

STN INTERNATIONAL LOGOFF AT 04:23:54 ON 22 JUL 2004